IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): ~~Substituted~~ A substituted methylene amide derivative of Formula (I) :



(I)

as well as its geometrical isomers, its optically active forms as enantiomers, diastereomers and its racemate forms, as well as pharmaceutically acceptable salts and pharmaceutically active derivatives thereof, wherein

R^1 is selected from the group consisting of $(C_1\text{-}C_{15})$alkyl, $(C_2\text{-}C_{12})$alkenyl, $(C_2\text{-}C_{12})$alkynyl, aryl, heteroaryl, (3-8-membered)-cycloalkyl or heterocycloalkyl, $(C_1\text{-}C_{12})$alkyl-aryl or $(C_1\text{-}C_{12})$alkyl-heteroaryl, $(C_2\text{-}C_{12})$alkenyl-aryl or -heteroaryl, $(C_2\text{-}C_{12})$alkynyl-aryl or -heteroaryl;

R^{2a} and R^{2b} are each independently from each other selected from the group comprising or consisting of H or $(C_1\text{-}C_{12})$alkyl;

Cy is an aryl, heteroaryl, cycloalkyl or heterocycle group,

with the proviso that the following compounds are excluded:









Claim 2 (Currently Amended): ~~Substituted~~ The substituted methylene amide ~~derivatives~~ derivative according to claim 1, wherein R^{2a} and R^{2b} are each H.

Claim 3 (Currently Amended): [[A]] The substituted methylene amide derivative according to claim 1 [[or 2]], wherein Cy is a thienyl or a phenyl group.

Claim 4 (Currently Amended): [[A]] The substituted methylene amide derivative according to claim 3, wherein Cy is a thienyl[[,]] or a phenyl group being substituted by a phenyl or an oxadiazole group or by 1 or 2 moieties selected from the group consisting of -NH-CO-R^3, -SO_2-$NR^3R^{3'}$, or –CO-$NR^3R^{3'}$ in which R^3, $R^{3'}$ are independently selected from H, (C_1-C_{15})alkyl, (C_2-C_{12})alkenyl, (C_2-C_{12})alkynyl, aryl, heteroaryl, (3-8-membered)cycloalkyl or heterocycloalkyl, (C_1-C_{12})alkyl aryl or heteroaryl, (C_2-C_{12})alkenyl-aryl or -heteroaryl, (C_2-C_{12})alkynyl-aryl or -heteroaryl.

Claim 5 (Currently Amended): [[A]] The substituted methylene amide derivative according to claim 4, wherein $R^{3'}$ is H and R^3 is selected from the group consisting of

diphenyl-ethyl, dodecyl, octyl, 4-pentyl-benzyl, 4-phenoxy-phenethyl, ethyl-thiophen-2-yl, pentadecyl, tridecyl, hexyloxy-phenyl or (2-ethyl)-hexyl.

Claim 6 (Currently Amended): [[A]] The substituted methylene amide derivative according to ~~any of~~ claim 1 [[or 2]], wherein Cy is aryl, heteroaryl, (3-8-membered)-cycloalkyl or -heterocycloalkyl being substituted by a substituted or unsubstituted (C_2-C_{18})alkynyl moiety.

Claim 7 (Currently Amended): [[A]] The substituted methylene amide derivative according to claim 6 wherein Cy is phenyl, pyridinyl, naphthyl or benzofuranyl group, being substituted by B-R^4 wherein B is ethynyl group and R^4 is (C_6-C_{16})alkyl, (3-8 membered) cycloalkyl, (C_1-C_{12})alkyl-(3-8 membered) cycloalkyl, phenyl or (C_1-C_{12})alkyl phenyl.

Claim 8 (Currently Amended): [[A]] The substituted methylene amide derivative according to claim 7 wherein Cy is phenyl being substituted by B-R^4 wherein B is ethynyl group and R^4 is (C_6-C_{16})alkyl.

Claim 9 (Currently Amended): [[A]] The substituted methylene amide derivative according to ~~any of claims 1 to 8~~ claim 1, wherein R^1 is a moiety –CH_2-A, or -CH_2-CH_2-A with A being an aryl, heteroaryl, (3-8-membered)heterocycloalkyl or (3-8-membered)cycloalkyl.

Claim 10 (Currently Amended): [[A]] The substituted methylene amide derivative according to ~~any of claims 1 to 8~~ claim 1, wherein R^1 is A, with A being aryl, heteroaryl, (3-8-membered)heterocycloalkyl or (3-8-membered)cycloalkyl.

Claim 11 (Currently Amended): [[A]] The substituted methylene amide derivative according to claim 9 or 10, wherein A is selected from the group consisting of phenyl, pyridinyl, benzo-1,3-dioxolenyl, biphenyl, naphthyl, quinoxalinyl, thiazolyl, thienyl, furanyl or a piperidinyl group, being optionally substituted by 1 or 2 cyano, halogen, NO_2, (C_1-C_6)alkoxy, aryloxy or heteroaryloxy, (C_1-C_6)thioalkoxy, (C_1-C_{12})alkyl, (C_1-C_{12})alkyl-X wherein X is halogen, (C_2-C_{12})alkenyl, (C_2-C_{12})alkynyl, aryl, heteroaryl, (3-8 membered) cycloalkyl or heterocycloalkyl, (C_1-C_{12})alkyl aryl or heteroaryl, (C_2-C_{12})alkenyl aryl or heteroaryl, (C_2-C_{12})alkynyl aryl or heteroaryl, -COR^3, –$COOR^3$, –CO-$NR^3R^{3'}$, -$NHCOR^3$ wherein R^3 is a (C_1-C_{12})alkyl or (C_1-C_{12})alkenyl, -SOR^3, -SO_2R^3, -$SO_2NR^3R^{3'}$with R^3, $R^{3'}$ being independently from each other selected from the group consisting of H, straight or branched (C_1-C_{12})alkyl, (C_2-C_{12})alkenyl, (C_2-C_{12})alkynyl, aryl, heteroaryl, (3-8-membered)-cycloalkyl or heterocycloalkyl.

Claim 12 (Currently Amended): [[A]] The substituted methylene amide derivative according to ~~any claims 1 to 5 and 9 to 11~~ claim 1wherein:

R^{2a} and R^{2b} are each H;

R^1 is–CH_2-A, with A being phenyl or thienyl, optionally substituted by cyano, halogen, methoxy, hydroxy, phenoxy, -NO_2, trifluoromethyl;

Cy is a thienyl, phenyl or biphenyl being substituted by -SO_2R^3, –CO-$NR^3R^{3'}$ in which $R^{3'}$ is H and R^3 is (C_7-C_{12})alkyl~~, particularly (C_8-C_{12})alkyl and more particularly a dodecyl group~~.

Claim 13 (Currently Amended): [[A]] The substituted methylene amide derivative according to [[any]] claim 1 ~~to 5 and 9 to 11~~ wherein:

R^{2a} and R^{2b} are each H;

R^1 is–CH_2-A, with A being phenyl or thienyl, optionally substituted by cyano, halogen, methoxy, hydroxy, phenoxy, -NO_2, trifluoromethyl;

Cy is a thienyl, phenyl or biphenyl being substituted by -SO_2R^3, -CO-$NR^3R^{3'}$ in which $R^{3'}$ is H and R^3 is (C_7-C_{15})alkyl~~, particularly (C_8-C_{15})alkyl and more particularly a dodecyl group~~.

Claim 14 (Currently Amended): ~~Substituted~~ A substituted methylene amide derivative of Formula (I'): ~~according to any of claims 1 to 5 or 9 to 11~~



(I')

wherein

R^1 is selected from the group consisting of phenyl, benzyl, phenethyl, 1-methylbenzyl which may be substituted by (C_1-C_6)alkyl group or a cycloalkyl group;

Cy is a phenyl or a biphenyl group substituted with a moiety selected from the group consisting of -NH-CO-R^3, -CO-NH-R^3, or an oxadiazole group substituted with R^3, wherein R^3 is (C_7-C_{15})alkyl~~, particularly (C_8-C_{15})alkyl and more particularly a dodecyl group~~.

Claim 15 (Currently Amended): A substituted methylene amide derivative ~~according to any of the preceding claims~~ selected from the ~~following~~ group consisting of:

(benzyl{4-[(dodecylamino)carbonyl] benzyl}amino)(oxo)acetic acid;

oxo{{4-[(pentadecylamino)carbonyl]benzyl}[4-(trifluoromethyl)benzyl]amino}acetic acid;

(benzyl{4-[(pentadecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

(benzyl{4-[(tridecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[benzyl(4-{[dodecyl(methyl)amino]carbonyl}benzyl)amino](oxo)acetic acid;

{(4-{[dodecyl(methyl)amino]carbonyl}benzyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

([1-(tert-butoxycarbonyl)-4-piperidinyl]{4-[(dodecylamino)carbonyl]benzyl}-amino)-(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[3-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

({[1-(tert-butoxycarbonyl)-4-piperidinyl]methyl}{4-[(dodecylamino)carbonyl]-benzyl}amino)(oxo)acetic acid;

oxo{[4-(tridecanoylamino)benzyl][4-(trifluoromethyl)benzyl]amino}acetic acid;

[benzyl(4-{[4-(hexyloxy)benzoyl]amino}benzyl)amino](oxo)acetic acid;

oxo{[4-(trifluoromethyl)benzyl][4-(10-undecenoylamino)benzyl]amino}acetic acid;

oxo{{4-[(9E)-9-tetradecenoylamino]benzyl}[4-(trifluoromethyl)benzyl]amino}acetic acid;

{benzyl[4-(tridecanoylamino)benzyl]amino}(oxo)acetic acid;

{{4-[(2-hydroxydodecyl)amino]benzyl}[4-(trifluoromethyl)benzyl]amino}-(oxo)-acetic acid;

oxo{[4-(trifluoromethyl)benzyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]-amino}-acetic acid;

{({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}({1-[(4-methoxyphenyl)sulfonyl]-4-piperidinyl}methyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-carboxy-1-phenylethyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-methoxy-1-methylethyl)amino](oxo)acetic acid;

(4-bromo{4-[(dodecylamino)carbonyl]benzyl}anilino)(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}anilino)(oxo)acetic acid;

([2-(3-chlorophenyl)ethyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[2-(3-methoxyphenyl)ethyl]amino}(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[(d,l)-trans-2-phenylcyclopropyl]amino}-(oxo)acetic acid;

([(d,l)-trans-2-(benzyloxy)cyclopentyl]{4-[(dodecylamino)carbonyl]benzyl}-amino)-(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}-4-phenoxyanilino)(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(1,2,3,4-tetrahydro-1-naphthalenyl)amino]-(oxo)acetic acid;

((1-benzyl-4-piperidinyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[2-(4-phenoxyphenyl)ethyl]amino}(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[2-(2-phenoxyphenyl)ethyl]amino}(oxo)acetic acid;

((2-[1,1'-biphenyl]-4-ylethyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

(([1,1'-biphenyl]-3-ylmethyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

(3-(benzyloxy){4-[(dodecylamino)carbonyl]benzyl}anilino)(oxo)acetic acid;

([4-(benzoylamino)benzyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

N-(carboxycarbonyl)-N-{4-[(dodecylamino)carbonyl]benzyl}-3-phenyl-beta-alanine;

{{4-[(dodecylamino)carbonyl]benzyl}[4-(1,2,3-thiadiazol-4-yl)benzyl]amino}-(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-pentylbenzyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(1-phenylethyl)amino](oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[1-(1-naphthyl)ethyl]amino}(oxo)acetic acid;

(benzyl{3-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

{{3-[(dodecylamino)carbonyl]benzyl}[4-(methylsulfonyl)benzyl]amino}(oxo)acetic acid;

((3-cyanobenzyl){3-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

{{3-[(dodecylamino)carbonyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

[(4-chlorobenzyl)(3-{[(4-pentylbenzyl)amino]carbonyl}benzyl)amino](oxo)acetic acid;

oxo{[4-({[2-(2-thienyl)ethyl]amino}carbonyl)benzyl][4-(trifluoromethyl)-benzyl]amino}acetic acid;

{benzyl[(3'-{[(2,2-diphenylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl]-amino}(oxo)acetic acid;

{(3-cyanobenzyl)[(3'-{[(2,2-diphenylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl]amino}(oxo)acetic acid;

{(4-chlorobenzyl)[(3'-{[(2,2-diphenylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl]amino}(oxo)acetic acid;

{[(3'-{[(2,2-diphenylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

((3-cyanobenzyl){[3'-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)[1,1'-biphenyl]-4-yl]methyl}amino)(oxo)acetic acid;

oxo{{[3'-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)[1,1'-biphenyl]-4-yl]methyl}-[4-(trifluoromethyl)benzyl]amino}acetic acid;

[(3-cyanobenzyl)({3'-[(octylamino)carbonyl][1,1'-biphenyl]-4-yl}methyl)amino]-(oxo)acetic acid;

[(4-chlorobenzyl)({3'-[(octylamino)carbonyl][1,1'-biphenyl]-4-yl}methyl)amino]-(oxo)acetic acid;

{({3'-[(octylamino)carbonyl][1,1'-biphenyl]-4-yl}methyl)[4-(trifluoromethyl)-benzyl]amino}(oxo)acetic acid;

{(3-cyanobenzyl)[(3'-{[(3-phenylpropyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl]amino}(oxo)acetic acid;

[(3-cyanobenzyl)({3'-[(dodecylamino)carbonyl][1,1'-biphenyl]-4-yl}methyl)-amino]-(oxo)acetic acid;

[(4-chlorobenzyl)({3'-[(dodecylamino)carbonyl][1,1'-biphenyl]-4-yl}methyl)-amino]-(oxo)acetic acid;

{({3'-[(dodecylamino)carbonyl][1,1'-biphenyl]-4-yl}methyl)[4-(trifluoromethyl)-benzyl]amino}(oxo)acetic acid;

{benzyl[(3'-{[(4-pentylbenzyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl]amino}-(oxo)acetic acid;

{(3-cyanobenzyl)[(3'-{[(4-pentylbenzyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)-methyl]amino}(oxo)acetic acid;

{(4-chlorobenzyl)[(3'-{[(4-pentylbenzyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)-methyl]amino}(oxo)acetic acid;

oxo{[(3'-{[(4-pentylbenzyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl][4-(trifluoro-methyl)benzyl]amino}acetic acid;

oxo{[(3'-{[(4-phenylbutyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl][4-(trifluoro-methyl)benzyl]amino}acetic acid;

{(3-cyanobenzyl)[(3'-{[(2-mesitylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)-methyl]amino}(oxo)acetic acid;

{(4-chlorobenzyl)[(3'-{[(2-mesitylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)-methyl]amino}(oxo)acetic acid;

{[(3'-{[(2-mesitylethyl)amino]carbonyl}[1,1'-biphenyl]-4-yl)methyl][4-(trifluoro-methyl)benzyl]amino}(oxo)acetic acid;

((4-chlorobenzyl){[3'-({[2-(4-methoxyphenyl)ethyl]amino}carbonyl)[1,1'-biphenyl]-4-yl]methyl}amino)(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-methoxybenzyl)amino](oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[4-(methylsulfonyl)benzyl]amino}(oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(4-methoxybenzyl)amino](oxo)acetic acid;

{{3-[(dodecylamino)carbonyl]benzyl}[3-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}{[6-(trifluoromethyl)-3-pyridinyl]methyl}-amino)(oxo)acetic acid;

4-[((carboxycarbonyl){3-[(dodecylamino)carbonyl]benzyl}amino)methyl]benzoic acid;

({3-[(dodecylamino)carbonyl]benzyl}{4-[hydroxy(oxido)amino]benzyl}-amino)(oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(2-fluorobenzyl)amino](oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(2-pyridinylmethyl)amino](oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(3-thienylmethyl)amino](oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(4-hydroxybenzyl)amino](oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(4-phenoxybenzyl)amino](oxo)acetic acid;

({3-[(dodecylamino)carbonyl]benzyl}{[6-(trifluoromethyl)-3-pyridinyl]methyl}-amino)(oxo)acetic acid;

3-[((carboxycarbonyl){3-[(dodecylamino)carbonyl]benzyl}amino)methyl]benzoic acid;

5-[((carboxycarbonyl){3-[(dodecylamino)carbonyl]benzyl}amino)methyl]-2-thiophenecarboxylic acid;

({4-[(dodecylamino)carbonyl]benzyl}{4-[hydroxy(oxido)amino]-benzyl}-amino)-(oxo)acetic acid;

((1,3-benzodioxol-5-ylmethyl){4-[(dodecylamino)carbonyl]-benzyl}amino)-(oxo)-acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-fluorobenzyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-phenoxybenzyl)amino](oxo)acetic acid;

4-[((carboxycarbonyl){4-[(dodecylamino)carbonyl]benzyl}amino)methyl]benzoic acid;

5-[((carboxycarbonyl){4-[(dodecylamino)carbonyl]benzyl}amino)methyl]-2-thiophenecarboxylic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(2-thienylmethyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(isopropyl)amino](oxo)acetic acid;

((3,5-dichlorobenzyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[(3,5-dichlorobenzyl)(4-{[(3,3-diphenylpropyl)amino]carbonyl}-benzyl)amino]-(oxo)acetic acid;

[(4-{[(2-[1,1'-biphenyl]-4-ylethyl)amino]carbonyl}benzyl)(3,5-dichlorobenzyl)-amino](oxo)acetic acid;

[(1,3-benzodioxol-5-ylmethyl)(4-{[(2-[1,1'-biphenyl]-4-ylethyl)amino]carbonyl}-benzyl)amino](oxo)acetic acid;

(2,3-dihydro-1H-inden-1-yl{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

{2,3-dihydro-1H-inden-1-yl[4-({[2-(4-phenoxyphenyl)ethyl]amino}-carbonyl)-benzyl]amino}(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-pyridinylmethyl)amino](oxo)acetic acid;

([4-(dimethylamino)benzyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(3-pyridinylmethyl)amino](oxo)acetic acid;

((4-cyanobenzyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(1,3-thiazol-2-ylmethyl)amino](oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}{[2-(4-morpholinyl)-1,3-thiazol-5-yl]methyl}-amino)(oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(4-pyridinylmethyl)amino](oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(3-pyridinylmethyl)amino](oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(3-hydroxybenzyl)amino](oxo)acetic acid;

((4-cyanobenzyl){3-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[{3-[(dodecylamino)carbonyl]benzyl}(1,3-thiazol-2-ylmethyl)amino](oxo)acetic acid;

({3-[(dodecylamino)carbonyl]benzyl}{[2-(4-morpholinyl)-1,3-thiazol-5-yl]methyl}-amino)(oxo)acetic acid;

((1,3-benzodioxol-5-ylmethyl){3-[(dodecylamino)carbonyl]-benzyl}amino)-(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-thienylmethyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-pyridinylmethyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(3-thienylmethyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-hydroxybenzyl)amino](oxo)acetic acid;

3-[((carboxycarbonyl){4-[(dodecylamino)carbonyl]benzyl}amino)methyl]benzoic acid;

[cyclopentyl({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)amino](oxo)acetic acid;

[benzyl({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)amino](oxo)acetic acid;

(({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl){3-[hydroxy(oxido)amino]-benzyl}-amino)(oxo)acetic acid;

[({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)(4-methoxybenzyl)amino]-(oxo)-acetic acid;

[({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)(2-fluorobenzyl)amino](oxo)acetic acid;

{({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)[4-(methylsulfonyl)-benzyl]-amino}(oxo)acetic acid;

[({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)(4-phenoxybenzyl)amino]-(oxo)-acetic acid;

4-{[(carboxycarbonyl)({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)-amino]-methyl}benzoic acid;

(({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl){[6-(trifluoromethyl)-3-pyridinyl]-methyl}amino)(oxo)acetic acid;

{({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)[3-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

[(3-chlorobenzyl)({5-[(dodecylamino)sulfonyl]-2-thienyl}methyl)amino](oxo)acetic acid;

{[(5-{[(3,3-diphenylpropyl)amino]sulfonyl}-2-thienyl)methyl][3-(trifluoromethyl)-benzyl]amino}(oxo)acetic acid;

{(3-chlorobenzyl)[(5-{[(3,3-diphenylpropyl)amino]sulfonyl}-2-thienyl)methyl]-amino}(oxo)acetic acid;

oxo{{[5-({[2-(4-phenoxyphenyl)ethyl]amino}sulfonyl)-2-thienyl]methyl}[3-(trifluoromethyl)benzyl]amino}acetic acid;

((3-chlorobenzyl){[5-({[2-(4-phenoxyphenyl)ethyl]amino}sulfonyl)-2-thienyl]-methyl}amino)(oxo)acetic acid;

{[(5-{[(2-[1,1'-biphenyl]-4-ylethyl)amino]sulfonyl}-2-thienyl)methyl][3-(trifluoro-methyl)benzyl]amino}(oxo)acetic acid;

(({1-[(cyclohexylamino)carbonyl]-4-piperidinyl}methyl){4-[(dodecylamino)-carbonyl]benzyl}amino)(oxo)acetic acid;

([(1-{[4-(dimethylamino)anilino]carbonyl}-4-piperidinyl)methyl]{4-[(dodecyl-amino)carbonyl]benzyl}amino)(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[(1-hexanoyl-4-piperidinyl)methyl]-amino}-(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}{[1-(3-iodobenzoyl)-4-piperidinyl]methyl}-amino)(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[(1-{(2E)-3-[3-(trifluoromethyl)phenyl]-2-propenoyl}-4-piperidinyl)methyl]amino}(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}{[1-(2-quinoxalinylcarbonyl)-4-piperidinyl]-methyl}amino)(oxo)acetic acid;

[({1-[(4-methoxyphenyl)sulfonyl]-4-piperidinyl}methyl)(4-{[(4-phenoxybenzyl)amino]carbonyl}benzyl)amino](oxo)acetic acid;

[{[1-(3-iodobenzoyl)-4-piperidinyl]methyl}(4-{[(4-phenoxybenzyl)amino]-carbonyl}benzyl)amino](oxo)acetic acid;

oxo{(4-{[(4-phenoxybenzyl)amino]carbonyl}benzyl)[(1-{(2E)-3-[3-(trifluoromethyl)phenyl]-2-propenoyl}-4-piperidinyl)methyl]amino}acetic acid;

{{4-[(dodecylamino)carbonyl]phenyl}[2-(methoxycarbonyl)benzyl]-amino}(oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl](4-iodobenzyl)-amino](oxo)acetic acid;

[(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(4-iodobenzyl)amino]-(oxo)acetic acid;

[{2-bromo-4-[(dodecylamino)carbonyl]benzyl}(4-iodobenzyl)amino](oxo)acetic acid;

[(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(4-iodobenzyl)amino]-(oxo)acetic acid;

((4-iodobenzyl){[4'-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

{[2-bromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl][(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl][(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{[2,6-dibromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl][(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2,6-dibromobenzyl][(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{{2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}[(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

([(4'-fluoro-1,1'-biphenyl-3-yl)methyl]{[4'-({[2-(4-phenoxyphenyl)ethyl]amino}-carbonyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

{({4'-[(dodecylamino)carbonyl]-1,1'-biphenyl-4-yl}methyl)[(4'-fluoro-1,1'-biphenyl-3-yl)methyl]amino}(oxo)acetic acid;

{(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[2-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

{(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[2-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

oxo{{[4'-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)-1,1'-biphenyl-4-yl]methyl}-[2-(trifluoromethoxy)benzyl]amino}acetic acid;

{({4'-[(dodecylamino)carbonyl]-1,1'-biphenyl-4-yl}methyl)[2-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

[[2-bromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl](3-phenoxybenzyl)amino](oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl](3-phenoxybenzyl)amino](oxo)acetic acid;

[(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(3-phenoxybenzyl)amino](oxo)acetic acid;

[[2,6-dibromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl](3-phenoxybenzyl)amino](oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2,6-dibromobenzyl](3-phenoxybenzyl)amino](oxo)acetic acid;

[(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(3-phenoxybenzyl)amino](oxo)acetic acid;

[{2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}(3-phenoxybenzyl)amino](oxo)acetic acid;

oxo((3-phenoxybenzyl){[4'-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)-1,1'-biphenyl-4-yl]methyl}amino)acetic acid;

oxo[[(4'-{[(4-pentylbenzyl)amino]carbonyl}-1,1'-biphenyl-4-yl)methyl](3-phenoxybenzyl)amino]acetic acid;

[({4'-[(dodecylamino)carbonyl]-1,1'-biphenyl-4-yl}methyl)(3-phenoxybenzyl)amino](oxo)acetic acid;

[[2-bromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl](2-iodobenzyl)amino](oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl](2-iodobenzyl)amino](oxo)acetic acid;

[(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(2-iodobenzyl)amino]-(oxo)acetic acid;

[{2-bromo-4-[(dodecylamino)carbonyl]benzyl}(2-iodobenzyl)amino](oxo)acetic acid;

([2-bromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl]{[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

([4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl]{[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

((2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl){[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

((2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl){[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

({2-bromo-4-[(dodecylamino)carbonyl]benzyl}{[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

([4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2,6-dibromobenzyl]{[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

((2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl){[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

({2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}{[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

(({4'-[(dodecylamino)carbonyl]-1,1'-biphenyl-4-yl}methyl){[2'-(trifluoromethyl)-1,1'-biphenyl-4-yl]methyl}amino)(oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl](1,1'-biphenyl-2-ylmethyl)amino](oxo)acetic acid;

[(1,1'-biphenyl-2-ylmethyl)(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)-amino](oxo)acetic acid;

((1,1'-biphenyl-2-ylmethyl){2-bromo-4-[(dodecylamino)carbonyl]benzyl}-amino)-(oxo)acetic acid;

{(1,1'-biphenyl-2-ylmethyl)[2,6-dibromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}-carbonyl)benzyl]amino}(oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2,6-dibromobenzyl](1,1'-biphenyl-2-ylmethyl)amino](oxo)acetic acid;

[(1,1'-biphenyl-2-ylmethyl)(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}-benzyl)amino](oxo)acetic acid;

((1,1'-biphenyl-2-ylmethyl){2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}-amino)(oxo)acetic acid;

{(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[4-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

{{2-bromo-4-[(dodecylamino)carbonyl]benzyl}[4-(trifluoromethoxy)benzyl]amino}-(oxo)acetic acid;

{(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[4-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

{(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[3-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

{{2-bromo-4-[(dodecylamino)carbonyl]benzyl}[3-(trifluoromethoxy)benzyl]amino}-(oxo)acetic acid;

{(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[3-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

{{2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}[3-(trifluoromethoxy)benzyl]-amino}(oxo)acetic acid;

{({4'-[(dodecylamino)carbonyl]-1,1'-biphenyl-4-yl}methyl)[3-(trifluoromethoxy)-benzyl]amino}(oxo)acetic acid;

[[2-bromo-4-({[2-(4-phenoxyphenyl)ethyl]amino}carbonyl)benzyl](4-phenoxy-benzyl)amino](oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl](4-phenoxy-benzyl)amino](oxo)acetic acid;

[(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(4-phenoxybenzyl)-amino](oxo)acetic acid;

[{2-bromo-4-[(dodecylamino)carbonyl]benzyl}(4-phenoxybenzyl)amino](oxo)acetic acid;

[[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2,6-dibromobenzyl](4-phenoxy-benzyl)amino](oxo)acetic acid;

[(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)(4-phenoxybenzyl)-amino](oxo)acetic acid;

{[4-({[2-(1,1'-biphenyl-4-yl)ethyl]amino}carbonyl)-2-bromobenzyl][4-(trifluoro-methyl)benzyl]amino}(oxo)acetic acid;

{(2-bromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[4-(trifluoromethyl)-benzyl]-amino}(oxo)acetic acid;

{{2-bromo-4-[(dodecylamino)carbonyl]benzyl}[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{(2,6-dibromo-4-{[(4-pentylbenzyl)amino]carbonyl}benzyl)[4-(trifluoromethyl)-benzyl]amino}(oxo)acetic acid;

{{2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}[4-(trifluoromethyl)benzyl]-amino}(oxo)acetic acid;

oxo{[(4'-{[(4-pentylbenzyl)amino]carbonyl}-1,1'-biphenyl-4-yl)methyl][4-(trifluoromethyl)benzyl]amino}acetic acid;

{{2-bromo-4-[(dodecylamino)carbonyl]benzyl}[3-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{2,6-dibromo-4-[(dodecylamino)carbonyl]benzyl}[3-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

oxo{[(4'-{[(4-pentylbenzyl)amino]carbonyl}-1,1'-biphenyl-4-yl)methyl][3-(trifluoromethyl)benzyl]amino}acetic acid;

{(4-dibenzo[b,d]furan-4-ylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dibenzo[b,d]furan-4-ylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

({4-[(dodecylamino)carbonyl]benzyl}{1-[4-(trifluoromethyl)phenyl]ethyl}amino)-(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}{1-[4-(trifluoromethyl)phenyl]ethyl}amino)-(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{({4'-[(octylamino)carbonyl]-1,1'-biphenyl-4-yl}methyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

oxo{(4-tetradec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}acetic acid;

{(4-dodec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[4-(trifluoromethyl)phenyl]amino}(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-methoxyphenyl)amino](oxo)acetic acid;

((1,2-diphenylethyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

N-(carboxycarbonyl)-N-{4-[(dodecylamino)carbonyl]benzyl}-L-phenylalanine;

[{4-[(dodecylamino)carbonyl]benzyl}(3-phenoxyphenyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-isopropoxyphenyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-iodophenyl)amino](oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[3-fluoro-4-(trifluoromethyl)benzyl]-amino}(oxo)acetic acid;

((3-chloro-2-methylphenyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

4'-((carboxycarbonyl){4-[(dodecylamino)carbonyl]benzyl}amino)-1,1'-biphenyl-2-carboxylic acid;

((2,4-dichlorobenzyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(1-phenylpropyl)amino](oxo)acetic acid;

([2-(4-chlorophenyl)propyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(4-isopropoxyphenyl)amino](oxo)acetic acid;

([4-(benzyloxy)phenyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[2-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-methoxybenzyl)amino](oxo)acetic acid;

([(1R)-1-(4-chlorophenyl)ethyl]{4-[(dodecylamino)carbonyl]benzyl}amino)-(oxo)acetic acid;

((3,4-dichlorobenzyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

((1-benzothien-3-ylmethyl){4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

([2-(2,6-dichlorophenyl)ethyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

({4-[(dodecylamino)carbonyl]benzyl}{2-[3-(trifluoromethyl)phenyl]ethyl}-amino)-(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[2-(3-fluorophenyl)ethyl]amino}(oxo)acetic acid;

([(1S)-1-(4-chlorophenyl)ethyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)-acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[(1S)-1-phenylethyl]amino}(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]benzyl}[(1R)-1-phenylethyl]amino}(oxo)acetic acid;

([3-(benzyloxy)phenyl]{4-[(dodecylamino)carbonyl]benzyl}amino)(oxo)acetic acid;

N-(carboxycarbonyl)-N-{4-[(dodecylamino)carbonyl]benzyl}-D-phenylalanine;

{{4-[(dodecylamino)carbonyl]phenyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[(dodecylamino)carbonyl]phenyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{{1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid;

oxo{{1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

([(2-butyl-1-benzofuran-3-yl)methyl]{4-[(dodecylamino)carbonyl]benzyl}-amino)(oxo)acetic acid;

{(1-{4-[(dodecylamino)carbonyl]phenyl}ethyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{(1-{4-[(dodecylamino)carbonyl]phenyl}ethyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{(4-{[(4-octylphenyl)amino]carbonyl}benzyl)[4-(trifluoromethyl)benzyl]-amino}(oxo)acetic acid;

{(3-chlorobenzyl)[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{(3-chlorobenzyl)[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{cyclopentyl[4-(trifluoromethyl)phenyl]methyl}[4-(tridecanoylamino)benzyl]-amino}(oxo)acetic acid;

oxo([4-(trifluoromethyl)benzyl]{[4-(3-undecyl-1,2,4-oxadiazol-5-yl)-1-naphthyl]-methyl}amino)acetic acid;

oxo([4-(trifluoromethyl)benzyl]{[4-(3-undecyl-1,2,4-oxadiazol-5-yl)-1-naphthyl]-methyl}amino)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)-glucitol)~~ salt;

{{cyclopentyl[4-(trifluoromethyl)phenyl]methyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{{cyclopentyl[4-(trifluoromethyl)phenyl]methyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methyl-amino)glucitol)~~ salt;

{(4-dibenzo[b,d]furan-4-ylphenyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dibenzo[b,d]furan-4-ylphenyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{[4-(octyloxy)benzyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[4-(octyloxy)benzyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

[[2-(3-chlorophenyl)ethyl](4-dec-1-ynylbenzyl)amino](oxo)acetic acid;

([2-(3-chlorophenyl)ethyl]{4-[(1Z)-dec-1-enyl]benzyl}amino)(oxo)acetic acid;

{[2-(3-chlorophenyl)ethyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)-acetic acid;

{[2-(3-chlorophenyl)ethyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)-acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{{(1R)-1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid;

oxo{{(1R)-1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)-glucitol)~~ salt;

oxo{[4-(trifluoromethyl)phenyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-acetic acid;

oxo{[4-(trifluoromethyl)phenyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{{(1S)-1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid;

oxo{{(1S)-1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)-glucitol)~~ salt;

[(3-chlorobenzyl)(4-dec-1-ynylbenzyl)amino](oxo)acetic acid;

[(3-chlorobenzyl)(4-dec-1-ynylbenzyl)amino](oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

[[2-(3-chlorophenyl)ethyl](4-oct-1-ynylbenzyl)amino](oxo)acetic acid;

[[2-(3-chlorophenyl)ethyl](4-oct-1-ynylbenzyl)amino](oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{(4-dec-1-ynylbenzyl)[4-(trifluoromethyl)phenyl]amino}(oxo)acetic acid;

((4-dec-1-ynylbenzyl){1-[4-(trifluoromethyl)phenyl]ethyl}amino)(oxo)acetic acid;

((4-dec-1-ynylbenzyl){1-[4-(trifluoromethyl)phenyl]ethyl}amino)(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{1-methyl-1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{{1-methyl-1-[4-(trifluoromethyl)phenyl]ethyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{[2-(3-chlorophenyl)ethyl][4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{[2-(3-chlorophenyl)ethyl][4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl][4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl][4-(trifluoromethyl)benzyl]amino}-(oxo)-acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{[4-(dodecyloxy)-1-naphthyl]methyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{[4-(dodecyloxy)-1-naphthyl]methyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt

[(4-bromobenzyl)(4-oct-1-ynylbenzyl)amino](oxo)acetic acid;

[{4-[(dodecylamino)carbonyl]benzyl}(2-hydroxy-1-phenylethyl)amino](oxo)acetic acid;

((4-dec-1-ynylbenzyl){1-methyl-1-[4-(trifluoromethyl)phenyl]ethyl}amino)(oxo)-acetic acid;

((4-dec-1-ynylbenzyl){1-methyl-1-[4-(trifluoromethyl)phenyl]ethyl}amino)(oxo)-acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{{4-[(9Z)-tetradec-9-enoylamino]benzyl}[4-(trifluoromethyl)benzyl]amino}-acetic acid;

{(4-dec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

oxo{[4-(trifluoromethyl)benzyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]-amino}acetic acid;

oxo{[4-(trifluoromethyl)benzyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{(4-dodecylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dodecylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{[4-({[(2-butyl-1-benzofuran-3-yl)methyl]amino}carbonyl)benzyl][4-(trifluoro-methyl)benzyl]amino}(oxo)acetic acid;

{(4-{[4-(benzyloxy)benzoyl]amino}benzyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{(3,5-dichlorobenzyl)[4-(tridecanoylamino)benzyl]amino}(oxo)acetic acid;

{(3,5-dichlorobenzyl)[4-(tridecanoylamino)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{4-[(4-octylphenyl)ethynyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

oxo{[4-(trifluoromethyl)benzyl][4-(5-undecyl-1,2,4-oxadiazol-3-yl)benzyl]amino}-acetic acid;

oxo{[4-(trifluoromethyl)benzyl][4-(5-undecyl-1,2,4-oxadiazol-3-yl)benzyl]amino}-acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{4-[2-(4-octylphenyl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-{[4-(heptyloxy)phenyl]ethynyl}benzyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{{4-[(4-butylphenyl)ethynyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[(4-hexylphenyl)ethynyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[(4-hexylphenyl)ethynyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{(4-{[4-(pentyloxy)phenyl]ethynyl}benzyl)[4-(trifluoromethyl)benzyl]-amino}-acetic acid;

oxo{{4-[(4-propylphenyl)ethynyl]benzyl}[4-(trifluoromethyl)benzyl]amino}acetic acid;

[[2-(3-chlorophenyl)ethyl](4-dodec-1-ynylbenzyl)amino](oxo)acetic acid;

[[2-(3-chlorophenyl)ethyl](4-dodec-1-ynylbenzyl)amino](oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{(4-oct-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[4-(11-hydroxyundec-1-ynyl)benzyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[4-(11-methoxy-11-oxoundec-1-ynyl)benzyl][4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

11-[4-({(carboxycarbonyl)[4-(trifluoromethyl)benzyl]amino}methyl)phenyl]undec-10-ynoic acid;

{(4-{[4-(benzyloxy)phenyl]ethynyl}benzyl)[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{(4-{2-[4-(heptyloxy)phenyl]ethyl}benzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)-acetic acid;

{{4-[2-(4-butylphenyl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[2-(4-hexylphenyl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[2-(4-hexylphenyl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{(4-{2-[4-(pentyloxy)phenyl]ethyl}benzyl)[4-(trifluoromethyl)benzyl]-amino}acetic acid;

oxo{{4-[2-(4-propylphenyl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]amino}acetic acid;

11-[4-({(carboxycarbonyl)[4-(trifluoromethyl)benzyl]amino}methyl)phenyl]-undecanoic acid;

{[4-(11-hydroxyundecyl)benzyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dodec-1-ynylbenzyl)[4-(trifluoromethyl)phenyl]amino}(oxo)acetic acid;

{(4-dodec-1-ynylbenzyl)[4-(trifluoromethyl)phenyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo([4-(trifluoromethyl)benzyl]{4-[2-(3-undecyl-1,2,4-oxadiazol-5-yl)ethyl]benzyl}-amino)acetic acid;

oxo([4-(trifluoromethyl)benzyl]{4-[2-(3-undecyl-1,2,4-oxadiazol-5-yl)ethyl]benzyl}-amino)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{4-[2-(3-octyl-1,2,4-oxadiazol-5-yl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]-amino}(oxo)acetic acid;

{{4-[2-(3-octyl-1,2,4-oxadiazol-5-yl)ethyl]benzyl}[4-(trifluoromethyl)benzyl]-amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{{4-[(4-octylbenzoyl)amino]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{4-[(4-octylbenzoyl)amino]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

oxo{[(1-tridecanoylpiperidin-4-yl)methyl][4-(trifluoromethyl)benzyl]amino}acetic acid;

{{[1-(4-octylbenzoyl)piperidin-4-yl]methyl}[4-(trifluoromethyl)benzyl]-amino}-(oxo)acetic acid;

{{[1-(4-octylbenzoyl)piperidin-4-yl]methyl}[4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid, N-methyl-D-glucamine ~~(i.e. 1-deoxy-1-(methylamino)glucitol)~~ salt;

{[(3-dec-1-ynyl-1-benzofuran-5-yl)methyl][4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

{[(3-dodec-1-ynyl-1-benzofuran-5-yl)methyl][4-(trifluoromethyl)benzyl]amino}-(oxo)acetic acid;

oxo{({3-[(4-propylphenyl)ethynyl]-1-benzofuran-5-yl}methyl)[4-(trifluoromethyl)-benzyl]amino}acetic acid;

[(4-dodec-1-ynylbenzyl)(4-fluorobenzyl)amino](oxo)acetic acid;

[bis(4-oct-1-ynylbenzyl)amino](oxo)acetic acid;

{[(6-dodec-1-ynylpyridin-3-yl)methyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(3-dodec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[2-(2-fluorophenyl)ethyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{[2-(2-fluorophenyl)ethyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{[2-(2-fluorophenyl)ethyl][4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{[2-(3,4-dichlorophenyl)ethyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{[2-(3,4-dichlorophenyl)ethyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{[2-(3,4-dichlorophenyl)ethyl][4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{[2-(1,1'-biphenyl-4-yl)ethyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{[2-(1,1'-biphenyl-4-yl)ethyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{[2-(1,1'-biphenyl-4-yl)ethyl][4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

oxo{5,6,7,8-tetrahydronaphthalen-1-yl[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]-amino}acetic acid;

oxo{5,6,7,8-tetrahydronaphthalen-1-yl[3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]-amino}acetic acid;

[[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl](5,6,7,8-tetrahydronaphthalen-1-yl)amino]-(oxo)acetic acid;

{(1,1'-biphenyl-3-ylmethyl)[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{(1,1'-biphenyl-3-ylmethyl)[3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)acetic acid;

{(1,1'-biphenyl-3-ylmethyl)[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)-acetic acid;

{(1-benzothien-3-ylmethyl)[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-(oxo)-acetic acid;

{(1-benzothien-3-ylmethyl)[3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)-acetic acid;

{(1-benzothien-3-ylmethyl)[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)-acetic acid;

oxo{[2-(trifluoromethyl)benzyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}-acetic acid;

oxo{[2-(trifluoromethyl)benzyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}acetic acid;

{[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl][2-(trifluoromethyl)benzyl]amino}(oxo)-acetic acid;

oxo{[3-(trifluoromethyl)benzyl][4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]-amino}-acetic acid;

oxo{[3-(trifluoromethyl)benzyl][3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]-amino}-acetic acid;

{[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl][3-(trifluoromethyl)benzyl]amino}-(oxo)-acetic acid;

{(2-methoxybenzyl)[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid {(2-methoxybenzyl)[3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)-acetic acid;

{(2-methoxybenzyl)[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

oxo{{4-[(trifluoromethyl)sulfonyl]benzyl}[4-(3-undecyl-1,2,4-oxadiazol-5-yl)-benzyl]amino}acetic acid;

oxo{{4-[(trifluoromethyl)sulfonyl]benzyl}[3-(3-undecyl-1,2,4-oxadiazol-5-yl)-benzyl]amino}acetic acid;

([4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]{4-[(trifluoromethyl)-sulfonyl]benzyl}-amino)(oxo)acetic acid;

{1,3-benzodioxol-5-yl[4-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{1,3-benzodioxol-5-yl[3-(3-undecyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{1,3-benzodioxol-5-yl[4-(3-octyl-1,2,4-oxadiazol-5-yl)benzyl]amino}(oxo)acetic acid;

{[(4-dodec-1-ynyl-1-naphthyl)methyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[(4-dec-1-ynyl-1-naphthyl)methyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[(4-dec-1-ynyl-1-naphthyl)methyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

oxo{[4-(trifluoromethyl)benzyl][4-(4-undecyl-1,3-thiazol-2-yl)benzyl]amino}acetic acid;

{(4-dec-1-ynylbenzyl)[2-(2-fluorophenyl)ethyl]amino}(oxo)acetic acid;

{(4-dodec-1-ynylbenzyl)[2-(2-fluorophenyl)ethyl]amino}(oxo)acetic acid;

{{[4-(dodecyloxy)-1-naphthyl]methyl}[2-(2-fluorophenyl)ethyl]amino}(oxo)acetic acid;

{[2-(2-fluorophenyl)ethyl][4-(octyloxy)benzyl]amino}(oxo)acetic acid;

{(4-dec-1-ynylbenzyl)[2-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dodec-1-ynylbenzyl)[2-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{[4-(dodecyloxy)-1-naphthyl]methyl}[2-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[4-(octyloxy)benzyl][2-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dec-1-ynylbenzyl)[2-(3,4-dichlorophenyl)ethyl]amino}(oxo)acetic acid;

[[2-(3,4-dichlorophenyl)ethyl](4-dodec-1-ynylbenzyl)amino](oxo)acetic acid;

([2-(3,4-dichlorophenyl)ethyl]{[4-(dodecyloxy)-1-naphthyl]methyl}amino)(oxo)acetic acid;

{[2-(3,4-dichlorophenyl)ethyl][4-(octyloxy)benzyl]amino}(oxo)acetic acid;

({4-[(4-hexylphenyl)ethynyl]benzyl}{1-methyl-1-[4-(trifluoromethyl)phenyl]ethyl}amino)(oxo)acetic acid;

{[4-(5-cyclohexylpent-1-ynyl)benzyl][4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{{3-[(4-hexylphenyl)ethynyl]benzyl}[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{[4-(4-ethyl-3-hydroxyoct-1-ynyl)benzyl][4-(trifluoromethyl)benzyl]amino}-(oxo)-acetic acid;

{(2-dec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid;

{(4-dec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, L-lysine salt;

{(4-dec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, tromethamine ~~(i.e. (2-amino-2-hydroxymethyl)-1,3-propanediol)~~ salt;

{(4-dec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetic acid, L-Arginine salt;

Sodium {(4-dec-1-ynylbenzyl)[4-(trifluoromethyl)benzyl]amino}(oxo)acetate.

Claim 16 (Currently Amended): ~~Substituted~~ A substituted methylene amide derivative of Formula (I) :



(I)

as well as its geometrical isomers, its optically active forms as enantiomers, diastereomers and its racemate forms, as well as pharmaceutically acceptable salts and pharmaceutically active derivatives thereof, wherein

R^1 is selected from the group consisting of $(C_1\text{-}C_{12})$alkyl, $(C_2\text{-}C_{12})$alkenyl, $(C_2\text{-}C_{12})$alkynyl, aryl, heteroaryl, (3-8-membered)cycloalkyl or heterocycloalkyl, $(C_1\text{-}C_{12})$alkyl-aryl or $(C_1\text{-}C_{12})$alkyl-heteroaryl, $(C_2\text{-}C_{12})$alkenyl-aryl or –heteroaryl, $(C_2\text{-}C_{12})$alkynyl-aryl or –heteroaryl;

R^{2a} and R^{2b} are each independently from each other selected from the group comprising or consisting of H or $(C_1\text{-}C_{12})$alkyl;

Cy is an aryl, heteroaryl, cycloalkyl or heterocycle, ~~for use as a medicament,~~

with the proviso that the following compounds are excluded :





Claim 17 (Currently Amended): ~~Substituted~~ The substituted methylene amide derivative according to claim 16 wherein

R^{2a} and R^{2b} are each H;

R^1 is–CH_2-A, with A being phenyl or thienyl, optionally substituted by cyano, halogen, methoxy, hydroxy, phenoxy, -NO_2, trifluoromethyl;

Cy is a thienyl, phenyl or biphenyl being substituted by -SO_2R^3, –CO-$NR^3R^{3'}$ in which $R^{3'}$ is H and R^3 is (C_7-C_{15})alkyl~~, particularly (C_8-C_{15})alkyl and more particularly a dodecyl group~~.

Claim 18 (Currently Amended): ~~Substituted~~ The substituted methylene amide derivative ~~of Formula~~ according to claim 16 wherein

R^{2a} and R^{2b} are each H,

R^1 is selected from the group consisting of phenyl, benzyl, phenethyl, 1-methylbenzyl which may be substituted by (C_1-C_6)alkyl group or a cycloalkyl group;

Cy is a phenyl or a biphenyl group substituted with a moiety selected from the group consisting of -NH-CO-R^3, -CO-NH-R^3, or an oxadiazole group substituted with R^3, wherein R^3 is (C_7-C_{15})alkyl~~, particularly (C_8-C_{15})alkyl and more particularly a dodecyl group~~.

Claims 19-26 (Canceled).

Claim 27 (Currently Amended): A pharmaceutical composition ~~containing~~ comprising at least one substituted methylene amide derivative according to ~~any of claims 1 to 15~~ claim 1 and a pharmaceutically acceptable carrier, diluent or excipient thereof.

Claim 28 (Currently Amended): [[A]] The pharmaceutical composition according to claim 27 further comprising at least one supplementary drug selected from the group consisting of insulin, aldose reductase inhibitors, alpha-glucosidase inhibitors, sulfonyl urea agents, biguanides ~~(e.g. metformin)~~, thiazolidines, PPARs agonists, c-Jun Kinase or GSK-3 inhibitors.

Claim 29 (Currently Amended): [[A]] The pharmaceutical composition according to claim 28 wherein said supplementary drug is selected from the group consisting of a rapid acting insulin, an intermediate acting insulin, a long acting insulin, a combination of intermediate and rapid acting insulins, Minalrestat, Tolrestat, Sorbinil, Methosorbinil, Zopolrestat, Epalrestat, Zenarestat, Imirestat, Ponalrestat, ONO-2235, GP-1447, CT-112, BAL-ARI 8, AD-5467, ZD5522, M-16209, NZ-314, M-79175, SPR-210, ADN 138, or SNK-860, Miglitol, Acarbose, Glipizide, Glyburide, Chlorpropamide, Tolbutamide, Tolazamide, or Glimepriride.

Claim 30 (Currently Amended): A method of preparing [[a]] the substituted methylene amide derivative according to ~~any of claims 1 to 15~~ claim 1, comprising: [[the]] coupling ~~step between~~ an amine derivative of formula (III-0) and an ester of formula LG_2-CO-CO-OR^8, followed by [[a]] hydrolysis[[:]].



(III-0)

(Ia)

(I)

wherein Cy, R^1, R^{2a}, R^{2b} are as above-defined in claim 1, R^8 is a (C_1-C_6)alkyl or cycloalkyl and LG_2 is a leaving group selected from Cl, N-hydroxy succinimide or benzotriazol-1-yl.

Claim 31 (Currently Amended): A method of preparation of [[a]] the substituted methylene amide derivative according to ~~any of claims 1 to 5 and 9 to 15~~ claim 1, comprising ~~the step of~~ providing ~~the corresponding~~ an ester of formula (I-1) according to the reaction scheme below:



(II-1)

(I-1)

(III-1)

wherein X is –CO- or –SO_2-, LG_1 is Cl, OH, -Obn, O-Alkyl or O-Alkylaryl and LG_2 is selected from Cl, N-hydroxy succinimide or benzotriazol-1-yl, R^8 is a (C_1-C_6)alkyl or cycloalkyl, P is H or a protective group selected from Boc or Fmoc, R^1, R^{2a}, R^{2b}, R^3 and $R^{3'}$ are as above defined;

~~and a subsequent~~ followed by hydrolysis [[step]], thus yielding the methylene amide derivative of formula (I).

Claim 32 (Currently Amended): A method of preparing [[a]] the substituted methylene amide derivative of formula (I) according to ~~any of claims 1 to 5, 9 to 11, 14 and 15~~ claim 1, comprising: ~~the step of~~ providing ~~the corresponding~~ an ester of formula (I-2) according to the reaction scheme below:



(II-2)

(I-2)

(III-2)

wherein LG_1 is Cl, OH, OBn, O-Alkyl or O-Alkylaryl and LG_2 is selected from Cl, N-hydroxy succinimide or benzotriazol-1-yl, R^8 is a C_1-C_6 alkyl or cycloalkyl, P is H or a protective group selected from Boc or Fmoc, R^1, R^{2a}, R^{2b}, R^3 and $R^{3'}$ are as above defined;

~~and a subsequent~~ followed by hydrolysis [[step]], thus yielding the methylene amide derivative of formula (I).

Claim 33 (Currently Amended): A method of preparing [[a]] the substituted methylene amide derivative according to ~~any of claims 1 to 11 and 15~~ claim 1, comprising: ~~the step of~~ providing ~~the corresponding~~ an ester of formula (I-4) according to the reaction scheme below:



wherein X is halogen atom selected from the group consisting of Br, I Cl or a leaving group such as $-OSO_2CF_3$, R^8 is an alkyl group, LG_2 is selected from Cl, N-hydroxy succinimide or benzotriazol-1-yl, P is H or a protective group selected from Boc or Fmoc, R^1, R^{2a}, R^{2b} and R^3 are as above defined;

~~and a subsequent~~ <u>followed by</u> hydrolysis [[step]], thus yielding the methylene amide derivative of formula (I).

Claim 34 (New): A method for the treatment and/or prevention of metabolic disorders mediated by insulin resistance or hyperglycemia, selected from the group consisting of diabetes type I and/or II, inadequate glucose tolerance, insulin resistance, hyperlipidemia, hypertriglyceridemia, hypercholesterolemia, obesity, appetite regulation, and polycystic ovary syndrome (PCOS), comprising administering to a subject in need thereof an effective amount of substituted methylene amide derivative according to formula (I):



(I)

as well as its geometrical isomers, its optically active forms as enantiomers, diastereomers and its racemate forms, as well as pharmaceutically acceptable salts and pharmaceutically active derivatives thereof, wherein

R^1 is selected from the group consisting of H, $(C_1\text{-}C_{12})$alkyl, $(C_2\text{-}C_{12})$alkenyl, $(C_2\text{-}C_{12})$alkynyl, aryl, heteroaryl, (3-8-membered)cycloalkyl or heterocycloalkyl, $(C_1\text{-}C_{12})$alkyl-aryl or $(C_1\text{-}C_{12})$alkyl-heteroaryl, $(C_2\text{-}C_{12})$alkenyl-aryl or -heteroaryl, $(C_2\text{-}C_{12})$alkynyl-aryl or -heteroaryl;

R^{2a} and R^{2b} are each independently from each other selected from the group comprising or consisting of H or $(C_1\text{-}C_{12})$alkyl;

Cy is an aryl, heteroaryl, cycloalkyl or heterocycle.

Claim 35 (New): The method according to claim 34, wherein the metabolic disorders are selected from the group consisting of diabetes type II, obesity or for appetite regulation.

Claim 36 (New): The method according to claim 34, wherein R^{2a}, R^{2b}, R^1 and Cy of the substituted methylene amide derivative are as follows:

R^{2a} and R^{2b} are each H;

R^1 is $-CH_2$-A, with A being phenyl or thienyl, optionally substituted by cyano, halogen, methoxy, hydroxy, phenoxy, $-NO_2$, trifluoromethyl;

Cy is a thienyl, phenyl or biphenyl being substituted by $-SO_2R^3$, $-CO-NR^3R^{3'}$ in which $R^{3'}$ is H and R^3 is $(C_7\text{-}C_{15})$alkyl, particularly $(C_8\text{-}C_{15})$alkyl and more particularly a dodecyl group.

Claim 37 (New): The method according to claim 34, wherein R^{2a}, R^{2b}, R^1 and Cy of the substituted methylene amide derivative are as follows:

R^{2a} and R^{2b} are each H;

R^1 is selected from the group consisting of phenyl, benzyl, phenethyl, 1-methylbenzyl which may be substituted by $(C_1\text{-}C_6)$alkyl group or a cycloalkyl group;

Cy is a phenyl or a biphenyl group substituted with a moiety selected from the group consisting of–NH-CO-R^3, -CO-NH-R^3, or an oxadiazole group substituted with R^3, wherein R^3 is $(C_7\text{-}C_{15})$alkyl, particularly $(C_8\text{-}C_{15})$alkyl and more particularly a dodecyl group.

Claim 38 (New): A method for the modulation of the activity of PTPs, comprising administering to a subject in need thereof an effective amount of the substituted methylene amide derivative as defined in claim 34.

Claim 39 (New): The method according to claim 38 wherein the PTP is PTP1B.

Claim 40 (New): The method according to claim 38 wherein said modulation consists in the inhibition of PTP1B.

Claim 41 (New): A method for the treatment or prevention of disorders mediated by PTP1B comprising administering to a subject in need thereof an effective amount of the substituted methylene amide derivative as defined in claim 34.